Supplemental

Recommendations of the Appropriations Subcommittee for Health & Human Services - Department of Health For the Year Ending June 30, 2004

	FY 2004	Supplemental		Difference
Financing	Estimated	Analyst	Subcommittee	Sub/Analyst
General Fund	263,677,400			
General Fund, One-time	87,300			
Federal Funds	1,041,160,542			
Dedicated Credits Revenue	101,082,386			
GFR - Cigarette Tax Rest	3,131,500			
GFR - Kurt Oscarson Trans	100,000			
GFR - State Lab Drug Testing Account	277,600			
GFR - Tobacco Settlement	13,064,900			
Organ Donation Contribution Fund	113,000			
Transfers	110,826,306			
Beginning Nonlapsing	3,802,306			
Closing Nonlapsing	(2,383,740)			
Total	\$1,534,939,500	\$0	\$0	\$0
				_
	Estimated	Target	Subcommittee	Difference
Total State Funds	\$263,764,700			
Programs	Estimated	Analyst	Subcommittee	Difference
Health	1,534,939,500			
Total	\$1,534,939,500	\$0	\$0	\$0

Sen. Sheldon L. Killpack, Co-Chair

Rep. Jack Seitz, Co-Chair

Intent Language

Health - Health Care Financing

1. It is the intent of the Legislature that funds appropriated for the eREP enhancements be considered nonlapsing.

Supplemental

Recommendations of the Appropriations Subcommittee for Health & Human Services - Department of Health

For the Year Ending June 30, 2004

Department of Health Health Care Financing

	FY 2004	Supplemental		Difference
Financing	Estimated	Analyst	Subcommittee	Sub/Analyst
General Fund	9,452,800			
General Fund, One-time	37,300			
Federal Funds	40,625,948			
Dedicated Credits Revenue	10,912,796			
Transfers	11,208,356			
Total	\$72,237,200	\$0	\$0	\$0
Programs	Estimated	Analyst	Subcommittee	Difference
Director's Office	4,256,000			
Financial Services	8,792,300			
Managed Health Care	2,375,700			
Medical Claims	3,071,900			
Eligibility Services	14,900,200			
Coverage and Reimbursement	3,033,300			
Contracts	35,807,800			
Total	\$72,237,200	\$0	\$0	\$0
FTE/Other	Estimated	Analyst	Subcommittee	Difference
Total FTE	455			
Vehicles	14			

Intent Language

It is the intent of the Legislature that funds appropriated for the eREP enhancements be considered nonlapsing.